

2024 NON-APPROVED ASA BAT LIST

USA Softball Non-Approved Bat List with Certification Marks

3/12/2024

Bass	Quake	Combat	VIRSP3 Lady Virus	Data Driven Athletics 314159 P1	
Easton	SCN1	Easton	SCN11BH	Easton	SCN1B
Easton	SCN2B	Easton	SCN3	Easton	SCN4B
Easton	SCN5	Easton	SCN5B	Easton	SCN6B
Easton	SCN7	Easton	SCN7B	Easton	SCN8
Easton	SCN8B	Easton	SCN9	Easton	SCX14
Easton	SCX14B	Easton	SCX2 Synergy	Easton	SCX22 Synergy 2
Easton	SCX24B	Easton	SCX3	Louisville Slugger	FP136
Louisville Slugger	FP1368	Louisville Slugger	FP1369	Louisville Slugger	FPC305 Catalyst (-8)
Louisville Slugger	SB304	Louisville Slugger	SB34 Genesis	Louisville Slugger	SB404
Louisville Slugger	SB73V TPS Voltage	Miken	MSF Freak	Miken	MSU Ultra
Miken	MSU2 Ultra II	Miken	MSUM Ultra Maxload	Nokona	Tomahawk
Onyx	Battle Ground - ESBCA242	Onyx	First Born - ES2P21	Pure	SkyBolt - MFE6

New

USA Softball Non-Approved Bat List with Certification Marks

3/12/2024



USA Softball Bat Testing & Certification Program

CERTIFIED/APPROVED: The official bat for USA Softball Championship Play must meet all the USA Softball specifications and the requirements of Rule 3, Section 1, and:

The official bat, made up of the knob, handle, grip, taper, barrel and end cap shall be free of burs, dents cracks, sharp edges, rattles and show no signs of excessive wear. The official bat may be marked OFFICIAL SOFTBALL by the manufacturer, and shall be no more than 34 inches long nor exceed 38 ounces in weight. The official bat shall not be more than 2.250 inches in diameter at its largest part, including any tolerance for expansion. The official bat must bear either the ASA 2000 Certification Mark, ASA 2004 Certification Mark, or ASA 2013 Certification Mark (Slow Pitch, Men's Adult Fast Pitch, Junior Olympic Boy's Fast Pitch and Men's Modified only), as shown below and must not be listed on the ASA Non-Approved Bat List with 2000 or 2004 Certification Mark.



AND

1. must be included on a list of approved bat models published by the ASA
OR
2. must, in the sole opinion and discretion of the umpire, have been manufactured prior to 2000 and if tested, would comply with USA Softball Bat Performance Standard. This includes wooden bats.

Exception: Senior Softball bats may be used in Senior Championship Play only.

All bats in USA Softball Championship Play, except Seniors, must pass the ASA Bat Performance Standard. All bats having the 2000, 2004 or 2013 (Slow Pitch, Men's Adult Fast Pitch, Junior Olympic Boy's Fast Pitch and Men's Modified Pitch ONLY) Certification Mark and not listed on the list of Non-Approved bats with Certification marks will be allowed in USA Softball Championship Play. Bats with the 2013 Certification Mark will be allowed in Slow Pitch National Championship Play Only. For your convenience, USA Softball's website has a listing of all approved bats and bats that have ASA Certification Marks and are no longer approved.